

Dutch Windmills Supply List

Do curves scare you? Well, no worries here – this is a “faux” curved piecing project! What do I mean by that? You’ll see in class! You’ll enjoy this easy take on the traditional Drunkard’s Path block.

For the BEST results and to achieve the MOST in class:

- Please precut your fabrics per the pattern instructions (Page 2).
- Please note that while the pattern does offer three different sizes, for ease of instruction in class, we will be working from the FAT QUARTER option (pictured to the right), which makes use of the “extra” fabric to create a scrappy middle border.

Fabric Requirements (feel free to change up the colors to suit your preferences):

Precuts (depending upon size of project)

Crib: (40) 5” squares

Lap: (40) 10” squares

Wall Hanging: (20) assorted Fat Quarters:

Background Fabric (depending upon size of project)

Crib: 1 3/8 yds

Lap: 3 1/4 yds

Wall Hanging: 2 1/2 yds

Inner Border (depending upon size of project)

Crib: 5/8 yd

Lap: 1 yd

Wall Hanging: uses FQs

Backing:

Crib: 1 1/2 yds

Lap: 3 1/4 yds

Wall Hanging: 3 1/2 yards

Fusible: Steam-A-Seam 2 Light

Crib: 1 1/2 yds

Lap: 3 1/2 yds

Wall Hanging: 2 1/2” yards

Fusible (I recommend Steam-A-Seam 2 Lite): 1 1/2 yds (crib), 2 1/2 yds (wall), 3 1/2 yds (lap)

1 sheet template plastic

Dutch Windmills pattern

Marking tool (fine tipped sharpie recommended – this is for the template and fusible)

Scissors (again, for the template)

* we will NOT complete the project in class, so you will NOT need these for class, but will need them to complete the project.

Class Supplies:

Standard Sewing Supplies:

(machine, thread, seam ripper, rotary cutter, ruler, mat, pins, iron)

Long ruler

12 1/2” square ruler

Highlighter and pen or pencil (notes)

Flannel for design wall

Pattern available at <https://www.tamarinis.com>

